

for efficient system cooling and ventilation

Axial fans and Fan drives



- √High efficiency
- **√**Compact
- √ High versatility

airfoil profile P2H / P3H

P2H best performance Ø 220 - 430 mm max. Ø 545 mm

P3H best performance Ø 350 - 700 mm

max. Ø 745 mm





Wingfan Axial fan P2H / P3H

Blade profile	Best performance	Ø max.
P2H	Ø 220–430 mm	545 mm
РЗН	Ø 350-700 mm	745 mm

The highly versatile airfoil profile blades can be used in a wide variety of applications. The narrow chord length makes the fan very compact for applications with little installation space.

Our sophisticated modular system of flexible combinable components consisting of blades with different pitch angles, hubs sizes and mounting options (e.g. centre bosses or bushings) allows us to custom engineer the P2H / P3H fan to your specific application.

P3H blades are available in glass-fibre reinforced, lightweight nylon (PA or PAG). For use in explosive environments we offer anti-static carbon fibre reinforced nylon (PACAS), only available from WingFan. P2H blades are only available in PA.

The P2H and P3H profiles are often used in agricultural ventilation applications requiring high airflow and low static pressures as well as in small condensers and heat exchangers.

Wingfan Global

WingFan has a world-leading position in modular Axial fans for engine cooling and radiators as well as in HVAC and refrigeration.

To find the address of our production plants/subsidiaries in















or of one of our distributors, please visit us on ${\bf wingfan.com}$





HYDRAULIC OIL COOLER



TUBE AXIAL FANS



WALL FAN



WingFan Pty Ltd

Australia & New Zealand 14 Ryeland Court Geelong North Victoria 3215 Australia

Tel: +61 3 5278 7046 Fax: +61 3 5278 5665 sales@wingfan.com.au